## IN THE CLAIMS:

- 1. (Currently amended) An isolated peptide comprising at least 9 contiguous which has from 13 to 60 amino acids, and which comprises of SEQ ID NO: 1.
- 2. (Currently amended) An isolated <u>or recombinant</u> peptide comprising the amino acid sequence of SEQ ID NO: 3 or a <del>functional</del> fragment thereof having trypanolytic activity.
  - 3. (Previously presented) The isolated peptide of claim 1 exhibiting trypanolytic activity.
- 4. (Withdrawn) An antibody specifically recognizing a peptide selected from the group consisting of a peptide comprising at least 9 contiguous amino acids of SEQ.ID.NO.1, a peptide comprising the amino acid sequence of SEQ.ID.NO.3, a fragment of either thereof, and an epitope of either thereof.
- 5. (Withdrawn) A DNA sequence encoding an Eisenia foetida protein or polypeptide or encoding an immunologically active and/or functional fragment thereof selected from the group consisting of:
- (a) DNA sequences comprising a nucleotide sequence encoding a protein or peptide comprising the amino acid sequence as given in SEQ ID NO. 1 or 3;
  - (b) DNA sequences comprising a nucleotide sequence as given in SEQ ID NO: 2;
  - (c) DNA sequences hybridizing with the complementary strand of a DNA sequence as defined in (a) or (b) and encoding an amino acid sequence which is at least 80% identical to the amino acid sequence encoded by the DNA sequence of (a) or (b);
  - (d) DNA sequences the nucleotide sequence of which is degenerated as a result of the genetic code to a nucleotide sequence of a DNA sequence as defined in any one of (a) to (c); and
  - (e) DNA sequences encoding a fragment of a protein encoded by a DNA

sequence of any one of (a) to (d).

- 6. (Withdrawn) A recombinant expression vector comprising the DNA sequence of claim 5.
- 7. (Withdrawn) A host cell transformed or transfected with an expression vector according to claim 6.
- 8. (Withdrawn) The host cell of claim 7 wherein the host cell is selected from the group consisting of *E. coli, Bacillus sp., Streptomyces sp.*, yeast, fungi, insect cells, plant cells and mammalian cells.
  - 9. (Withdrawn) The host cell of claim 8, wherein the host cell is E. coli.
- 10. (Withdrawn) A process for the production of an *Eisenia foetida* polypeptide or an immunologically active or functional fragment thereof comprising culturing a host cell of claim 7 under conditions allowing the expression and production of said polypeptide and recovering the thus produced polypeptide from the culture.
- peptide selected from the group of peptides consisting of [[a]] an isolated peptide comprising at least 9 contiguous which has from 13 to 60 amino acids of and which comprises SEQ ID NO: 1, [[a]] an isolated or recombinant peptide comprising the amino acid sequence of SEQ ID NO: 3, a fragment of either thereof having trypanolytic activity, and an epitope of either thereof.
  - 12. (Withdrawn) A method of treating a disease selected from the group of diseases

consisting of trypanosomal infection, bacterial infection and cancer, said method comprising:

administering a peptide selected from the group of peptides consisting of a peptide comprising at least 9 contiguous amino acids of SEQ.ID.NO.1, a peptide comprising the amino acid sequence of SEQ.ID.NO.3, a fragment of either thereof, and an epitope of either thereof.

## 13. (Canceled)

- 14. (Withdrawn) The process according to claim 10, wherein the host cell is selected from the group consisting of *E. coli, Bacillus sp., Streptomyces sp.*, yeast, fungi, insect cells, plant cells, and mammalian cells.
  - 15. (Withdrawn) The process according to claim 14, wherein the host cell is E. coli.
- 16. (Previously presented) The pharmaceutical composition of claim 11, wherein the peptide comprises at least 9 contiguous amino acids of SEQ ID NO: 1, a fragment thereof having trypanolytic activity, or an epitope thereof.
- 17. (Currently amended) The pharmaceutical composition of claim 11, wherein the peptide emprises is the amino acid sequence of SEQ ID NO: 3, a fragment thereof having trypanolytic activity, or an epitope thereof.
- 18. (Withdrawn) The method according to claim 12 wherein the peptide comprises at least 9 contiguous amino acids of SEQ.ID.NO.1 a fragment thereof, or an epitope thereof.
- 19. (Withdrawn) The method according to claim 12 wherein the peptide comprises the amino acid sequence of SEQ.ID.NO.3, a fragment thereof, or an epitope thereof.
- 20. (Currently amended) An isolated <u>or recombinant</u> peptide <del>consisting of having a sequence selected from the group of sequences consisting of SEQ ID NO: 1, at least 9 contiguous</del>

an amino acid sequence which has from 13 to 60 amino acids of and which comprises SEQ ID NO: 1, a recombinant amino acid sequence comprising SEQ ID NO: 3, and a fragment of the recombinant amino acid sequence comprising SEQ ID NO: 3 having trypanolytic activity.

- 21. (New) An isolated peptide consisting of SEQ ID NO: 1.
- 22. (New) An isolated or recombinant peptide consisting of SEQ ID NO: 3.